

Dimensioni d'ingombro

L'illustrazione raffigura le dimensioni di massima della pompa e i punti di fissaggio.

Overall dimensions

The illustration shows the approximate dimensions of the pump and the mounting points.

Dimensions hors-tout


L'illustration représente les dimensions hors-tout de la pompe et les points de fixation.

Außenmaße



Die Abbildung zeigt die Außenmaße der Pumpe und die Befestigungspunkte.

Dimensiones

La ilustración presenta las dimensiones generales de la bomba y los puntos de fijación.



A = C/w cardan • Con appl.C
B = Integral shaft • Albero integrale
@ = Pump axis • Asse pompa




With reduction gear - Con riduttore



AR 70 BP

1200 - 32004 - 1201 - 32005



AR-2_000177_v01

AR 70 BP C - NBR • 1200
AR 70 BP C - BlueFlex • 32004
AR 70 BP SP - NBR • 1201
AR 70 BP SP - BlueFlex • 32005



SAE 30
0,600 Kg

Revision: 1


Date: 04/10/2022

Code Description			Q	Note
1	550011	Pump body	1	
2	740290	O-ring	1	Lubricate Molykote PG54
3	880530	Plug	1	C=20Nm
4	550120	Piston	1	
5	550140	Cylinder	1	Lubricate with Mineral Grease
6	550280	Bushing	2	Press Mount
7	2240100	Hub pin	2	C=30Nm / Loxeal 83-21
8	550110	Sleeve	2	
9	550080	Diaphragm	2	NBR - Øe 115
9	550081	Diaphragm	2	BlueFlex - Øe 115
9	550084	Diaphragm	2	Viton - Øe 115
9	550085	Diaphragm	2	Desmopan - Øe 115
9	550086	Diaphragm	2	HPDS - Øe 115
10	580371	Plate	2	Ø 10
11	2240110	Nut	2	C=25Nm
12	550102	Head	1	sx
13	551040	Screw	8	C=40Nm
14	550101	Head	1	dx
15	580080	Foot	1	
16	320621	Washer	2	
17	620472	Screw	2	C=30Nm
18	540301	Screw	1	C=40Nm
19	180101	O-ring	1	Lubricate with motor oil
20	550030	Tank	1	
21	550332	Washer	2	
22	850851	Screw	2	C=10Nm
23	550040	O-ring	1	Lubricate with motor oil
24	550052	Plug	1	black
25	759054	Valve	1	
26	320030	O-ring	1	Lubricate with Mineral Grease
27	550150	Fitting	1	
28	180152	Nut	2	
29	390290	O-ring	2	Lubricate Molykote PG54
30	450120	Fitting	1	1" G - 1"1/4" G (M-M)
31	550870	Ring nut	1	1"1/4 G
32	580040	Elbow	1	Ø 30
33	390290	O-ring	1	Lubricate Molykote PG54
34	550340	Fitting	1	1" G (M-M)
35	550350	O-ring	1	Lubricate with Mineral Grease
36	550880	Ring nut	1	1" G
37	550370	Elbow	1	Ø 25
38	390290	O-ring	4	Lubricate Molykote PG54
39	550180	Semi air chamber	1	lower
40	180101	O-ring	1	Lubricate with motor oil
41	659213	Diaphragm	1	
42	550190	Diaphragm	1	NBR - Øe 110
42	550194	Diaphragm	1	BlueFlex - Øe 110
42	550192	Diaphragm	1	Viton - Øe 110




AR 70 BP

1200 - 32004 - 1201 - 32005



C



A



B



C



D

	Code	Description	Q	Note
1	550310	Bushing	1	
2	550160	Spacer	1	
3	550173	Shaft	1	AM marked
4	550060	Bushing	1	Press Mount
5	550070	Washer	1	
6	550470	Bushing	1	
7	650920	O-ring	1	Lubricate with Mineral Grease
8	550491	Ring	1	Lubricate with Mineral Grease
9	200391	Ring	1	seeger Øi 62
10	1500350	Cardan protection	1	Ø 199 mm
11	320621	Washer	3	
12	620472	Screw	1	TCEI M10x20
A	2364	Valve kit	1	
B	2361	Diaphragms kit	1	NBR
B	43125	Diaphragms kit	1	BlueFlex
B	2362	Diaphragms kit	1	Viton
B	2363	Diaphragms kit	1	Desmopan
C	2365	O-ring kit	1	
D	43126	Maintenance repair kit	1	NBR

AR-2_000178_v01

AR 70 BP C - NBR • 1200
AR 70 BP C - BlueFlex • 32004
AR 70 BP SP - NBR • 1201
AR 70 BP SP - BlueFlex • 32005



SAE 30
0,600 Kg



Revision: 1

Date: 04/10/2022



AR 70 BP

1200 - 32004 - 1201 - 32005



Code		Description	Q	Note
1	550310	Bushing	1	
2	550160	Spacer	1	
3	550170	Shaft	1	AL marked
4	550060	Bushing	1	Press Mount
5	550070	Washer	1	
6	550470	Bushing	1	
7	650920	O-ring	1	Lubricate with Mineral Grease
8	550491	Ring	1	Lubricate with Mineral Grease
9	200391	Ring	1	seeger Øi 62
10	1500350	Cardan protection	1	Ø 199 mm
11	320621	Washer	3	
12	620472	Screw	1	TCEI M10x20
A	2364	Valve kit	1	
B	2361	Diaphragms kit	1	NBR
B	43125	Diaphragms kit	1	BlueFlex
B	2362	Diaphragms kit	1	Viton
B	2363	Diaphragms kit	1	Desmopan
C	2365	O-ring kit	1	
D	43126	Maintenance repair kit	1	NBR

AR-2_000179_v01

AR 70 BP C - NBR • 1200
AR 70 BP C - BlueFlex • 32004
AR 70 BP SP - NBR • 1201
AR 70 BP SP - BlueFlex • 32005



SAE 30
0,600 Kg

Revision: 1

Date: 04/10/2022